Denmark. Progress report on cetacean research, March 2009 to March 2010, with statistical data for the calendar year 2009.

COMPILED BY MAGNUS WAHLBERG

Fjord&Bælt, Margrethes Plads 1, DK-5300 Kerteminde, Denmark; email: magnus@fjord-baelt.dk

This report summarises information obtained from:

Name of agency/institute	Abbreviation (use in rest of report)	Contact e-mail address
Fisheries and Maritime Museum	FoS	L Fast Jensen lfj@fimus.dk
Greenland Institute of Natural	GINR	F Ugarte feug@natur.gl
Resources		M Heide-Jørgensen mhj@ghsdk.dk
		M Simon masi@natur.gl
		L Witting lawi@natur.gl
Ministry of Fisheries, Hunting and Agriculture	APNN	N Levermann apnn@nanoq.gl
National Environmental Research	NERI	J Teilmann jte@dmu.dk
Institute, University of Aarhus		J Tougaard jat@dmu.dk
-		R Dietz rdi@dmu.dk
University of Southern Denmark	SDU	lee@biology.sdu.dk

1. SPECIES AND STOCKS STUDIED

IWC common name	IWC recommended scientific	Area/stock(s)	Items referred to
Beluga whale	Delphinapterus leucas	Arctic	5
Blue whale	Balaenoptera musculus	West Greenland	3.1.3, 4.1
Blue whale	Balaenoptera musculus	Iceland	3.1.3
Bowhead whale	Balaena mysticetus	West Greenland	3.1.3, 4.1, 4.2, 6.2
Bowhead whale	Balaena mysticetus	Alaska	3.1.3
Fin whale	Balaenoptera physalus	West Greenland	6.2
Harbour porpoise	Phocoena phocoena	Denmark	3.1.3, 4.1, 4.2, 4.3, 4.4, 8
Humpback whale	Megaptera novaeangliae	West Greenland	3.1.1, 3.1.3, 4.1
Humpback whale	Megaptera novaeangliae	Iceland	3.1.3
Killer whale	Orcinus orca	Denmark	4.1, 4.3, 8
Minke whale	Balaenoptera acutorostrata	Denmark	4.1, 4.3, 8
Minke whale	Balaenoptera acutorostrata	West Greenland	4.2, 6.2, 6.3.1
Minke whale	Balaenoptera acutorostrata	East Greenland	6.2
Pilot whale	Globicephala melas	Faroe Islands	5
Sperm whale	Physeter catodon	Greenland	8
White-beaked dolphin	Lagenorhynchus albirostris	Denmark	4.1, 4.3, 8

2. SIGHTINGS DATA

2.1 Field work

2.1.1 Systematic

Target species	Date	Area	No. of sightings	Contact person / institute and references
Marine mammals	Unknown	West Greenland	Unkonwn	A Mosbech, amo@mu.dk

2.1.2 Opportunistic, platforms of opportunity

There have been several surveys for whales in west and south-east Greenland on board seismic survey ships. Contact A Mosbech, National Environmental Research Institute for details.

2.2 Analyses/development of techniques

3. MARKING DATA 3.1 Field work

3.1.1 Natural marking data

Species	Feature	Area/stock	No. photo- id'd	Catalogue (Y/N)	Catalogue total	Contact person/institute; refs
Humpback whale	Fluke	West Greenland	36 encounters, 15 individuals	Y	66 (2007-09)	M Simon, GINR

3.1.2. Artificial marking data

3.1.3 Telemetry data

Species	Tag type	No. successfully deployed	Maximum time transmitting	Contact person/institute; refs
Blue whale	Satellite transmitter	2	3 months	MP Heide-Jørgensen, GINR
Bowhead whale	Satellite transmitter	30	10 months	MP Heide-Jørgensen, GINR
Harbour porpoise	SPLASH from Wildlife Computers	7	>365 days	J Teilmann, NERI
Humpback whale	Satellite transmitter	21	3 months	MP Heide-Jørgensen, GINR

3.2 Analyses/development of techniques

4. TISSUE/BIOLOGICAL SAMPLES COLLECTED 4.1 Biopsy samples

4.1 Diopsy sam	pies					
Species	Area/stock	Calendar year/ season - no. collected	Archived (Y/N)	No. analysed	Total holdings	Contact person/institute
Blue whale	West Greenland	2009: 1	Y	All	1	MP Heide-Jørgensen, GINR
Bowhead whale	West Greenland	2009: 71	Y	All	392	MP Heide-Jørgensen, GINR
Harbour porpoise	Denmark	2009: 15	Y	All	46	L Fast Jensen, FoS
Harbour porpoise	Kattegat/Belt Seas (Denmark)	2009 March- October - 7	Y	0	300	J Teilmann, NERI
Humpback whale	Disko (West Greenland)	2009: 16	Y	All	29	MP Heide-Jørgensen, GINR
Humpback whale	Nuuk (West Greenland)	2009: 1	Y	0		M Simon, GINR
Killer whale	North Atlantic	2009	Y	1	3	L Fast Jensen, FoS
Minke whale	North Atlantic	2009	Y	1	6	L Fast Jensen, FoS
White-beaked dolphin	North Atlantic	2009	Y	5	40	L Fast Jensen, FoS

4.2 Samples from directed catches (commercial, aboriginal and scientific permits) or bycatches

		Calendar year/ season - no.	Archived	No.	Total	
Species	Area/stock	collected	(Y/N)	analysed	holdings	Contact person/institute
Harbour porpoise	West Greenland	2009 autumn	Y	0	57	M Peter Heide Jørgensen, GINR
						R Dietz, NERI

- Samples and measurements were obtained from 3 bowhead whales taken in West Greenland under the aboriginal subsistence harvest exception
- Hunters delivered tissue samples from 97 minke whales from West Greenland, 2 minke whales from East Greenland and 5 fin whales.

4.3 Samples from stranded animals

Tissue samples collected from 15 harbour porpoises, 5 white-beaked dolphins, 1 killer whale and 1 minke whale. (Fisheries and Maritime Museum, Esbjerg)

4.4 Analyses/development of techniques

The population structure of harbour porpoises (based on genetics) has been studied in the Baltic region and is now published (Wiemann et al. 2010).

5. POLLUTION STUDIES

Belugas were included in a review on of temporal development of Hg in the Arctic. The general pattern showed an increase of Hg after 1850 which means that the present Hg burden of Arctic top predators are above 92% man-made contribution (Dietz et al. 2009). Histopathological investigations of pilot whale from the Faroe Island were conducted en a manuscript submitted (Sonne et al. in press). Belugas and Pilot whale were also included in the AMAP Hg effect assessment currently being reviewed (Dietz et al in review). A total of 72 harbour porpoises from the North Sea from 1989 to 2005 have been investigated for PFCs and additional 15 animals from 1980 will be analysed in 2010. The time trends of 8 of the PFC substances will be published when the last data are available and the data have been treated statistically (Contact: R Dietz, NERI). Also skulls from 6 pilot whales

have been sampled and will be analysed for Hg and biomarkers in 2010. Additional work on killer whales narwhals and harbour porpoises will be carried out in 2010 (Contact: R Dietz, NERI).

6. STATISTICS FOR LARGE CETACEANS

6.1 Corrections to earlier years' statistics for large whales

6.2 Direct catches of large whales (commercial, aboriginal and scientific permits) for the calendar year 2009

Species	Type of catch	Area/stock	Males	Females	Total landed	Struck and lost
Bowhead whale	ASW	West Greenland	1	2	3	0
Fin whale	ASW	West Greenland	1	7	8	2
Minke whale	ASW	West Greenland	47	105	153*	11
Minke whale	ASW	East Greenland	3	1	4	0

* Including 1 reported catch of unknown gender

6.3 Anthropogenic mortality of large whales for the calendar year 2009

6.3.1 Observed or reported ship strikes of large whales (including non-fatal events)

• None

6.3.2 Fishery bycatch of large whales

• 1 minke whale (female with a length of 5.5 m) entangled in seal nets, drowned (Greenland)

7. STATISTICS FOR SMALL CETACEANS

• Statistics for small cetaceans from Greenland and the Faeroe Islands are available from NAMMCO

7.1 Corrections to earlier years' statistics for small cetaceans

7.2 Direct catches of small cetaceans for the calendar year 2009

7.3 Anthropogenic mortality of small cetaceans for the calendar year 2009

7.3.1 Observed or reported ship strikes of small cetaceans (including non fatal events)

7.3.2 Fishery bycatch of small cetaceans

8. STRANDINGS

Corrections from previous years: The number of stranded porpoises in Denmark in 2008 should be corrected to 223 animals.

Species	No. strandings	No. post mortems	Contact person(s)/ Institute(s)	Contact email address(es)
Harbour porpoise	137	15	L Fast Jensen/ FoS	lfj@fimus.dk
Killer whale	1	1	L Fast Jensen/FoS	lfj@fimus.dk
Minke whale	1	1	L Fast Jensen/ FoS	lfj@fimus.dk
Sperm whale	1 male	0	Ministry of Fisheries, Hunting and Agriculture	apnn@nanoq.gl
White-beaked dolphin	6	5	L Fast Jensen/ FoS	lfj@fimus.dk

Strandings in 2009:

9. OTHER STUDIES AND ANALYSES

- Sound recordings using sea ice-based hydrophone array to measure source levels of bowhead whale song (PI: O Tervo; M Simon from GINR)
- PhD project in progress: distribution, ecology and feeding behaviour of baleen whales in West Greenland (M Simon, Aarhus University and GINR)
- BaltSeaPlan. An international project funded by the EU Interreg programme conducted in 2009 and 2010. One workpackage, lead by NERI, includes studies of the effect of shipping and fast ferries on behaviour and distribution of harbour porpoises, studied by means of passive acoustic dataloggers (T-PODs). Data collection began in 2009, results are pending analysis in 2010.
- Sprogø Offshore Wind Farm. A monitoring project based on passive acoustic monitors (T-PODs) was conducted by NERI during construction of a small wind farm (7 turbines) in the Great Belt. Comparison with baseline data collected in 2008 indicated limited impact of construction activities. Monitoring during operation will continue in 2010.
- A revised set of guidelines for conduction of seismic surveys in Greenlandic waters was published in 2009 by NERI.
- NERI participated in producing the background report (published by the International Council of the Exploration of the Seas, ICES) on effects on Energy (e.g. noise) on marine mammals in European waters in relation to the Marine Strategy Directive.

10. LITERATURE CITED

- Dietz, R, PM Outridge, KA Hobson 2009. *Anthropogenic contribution to mercury levels in present-day Arctic animals A review.* Science of the Total Environment 407: 6120–6131.
- Sonne C, M Dam M, PL Leifsson, R Dietz (in press). *Liver and renal histopathology of North Atlantic longfinned pilot whales (Globicephala melas) with high concentrations of heavy metals and organochlorines.* Toxicology Environmental Chemistry 90:275-283.
- Wiemann, A, LW Andersen, P Berggren, U Siebert, H Benke, J Teilmann, C Lockyer, I Pawliczka, K Skora, A Roos, T Lyrholm, KB Paulus, V Ketmaier, R Tiedemann, 2010. *Mitochondrial Control Region and microsatellite analyses on harbour porpoise (Phocoena phocoena) unravel population differentiation in the Baltic Sea and adjacent waters.* Conservation Genetics 11:195–211.

11. PUBLICATIONS

11.1 Published or 'in Press' papers only

- Allison, C, A. Punt, L.Witting 2009. Simulation trial runs for fin, humpback and bowhead whales. Appendix 2, Annex E. Report of the Standing Working Group on the Aboriginal Whaling Management procedures. The Journal of Cetacean Research and Management, 11 (Suppl.).
- Atem, ACG, MH Rasmussen, M Wahlberg, HC Petersen, LA Miller 2009. *Changes in click source levels with distance to targets: Studies of free-ranging white-beaked dolphins (Lagenorhynchus albirostris) and captive harbor porpoises (Phocoena phocoena).* Bioacoustics 19:49-65.
- Blanchet, MA, M Wahlberg, T Ishigami (2009). First observation of the parturition and peripartum events in a harbour porpoise (Phocoena phocoena). Aquatic Mammals 35(4): 473-480.
- Boertmann, D, FR Merkel, J Durinck 2009. *Bowhead whales in East Greenland, summers 2006–2008*. Polar Biology 32: 1805-1809.
- Boye TK, MJ Simon, PT Madsen (in press). *Habitat use of humpback whales in Godthaabsfjord, West Greenland, with implications for commercial exploitation.* Journal of the Marine Biological Association of the United Kingdom, in press.
- Dietz, R, PM Outridge, KA Hobson 2009. *Anthropogenic contribution to mercury levels in present-day Arctic animals A review*. Science of the Total Environment 407: 6120–6131.
- Eskesen, IG, J Teilmann, MB Geertsen, G Desportes, F Riget, R Dietz, F Larsen, U Siebert 2009. *Stress level in wild harbour porpoises (Phocoena phocoena) during satellite tagging measured by respiration, heart rate and cortisol.* Journal of the Marine Biological Association of the United Kingdom 89(5): 885-892.
- Heide-Jørgensen, MP, KL Laidre 2009. 4..2.3 Marine apex predators.. In: The Greenland Ice Sheet in a Changing Climate. (Eds. D Dahl-Jensen, J Bamber, CE Bøggild, E Buch., JH Christensen, K Dethloff, M Fahnestock, S Marshall, M Rosing, K Steffen, R Thomas, M Truffer, M van den Broeke and CJ van der Veen). Arctic Monitoring and Assessment Program, Oslo, 115 pp., pp 76-78.
- Jensen, FH, L Bejder, M Wahlberg, N Aguilar Soto, M Johnson, PT Madsen 2009. Vessel noise effects on delphinid communication. Marine Ecology Progress Series 395: 161-175.
- Kyhn, LA, J Tougaard, FH Jensen, M Wahlberg, G Stone, A Yoshinaga, K Beedholm, PT Madsen 2009. Feeding at a high pitch: Source parameters of narrow band, high-frequency clicks from echolocating offshore hourglass dolphins and coastal Hector's dolphins. Journal of the Acoustical Society of America. 125 (3): 1783–1791.
- Laidre KL, M-P Heide-Jørgensen, P Heagerty, A Cossio, B Bergstrøm, MJ Simon (in press). *Spatial* associations between large baleen whales and their prey in West Greenland. Marine Ecology Progress Series, in press.
- Laidre, KL, M-P Heide-Jørgensen, ML Logsdon, L Delwiche, TG Nielsen (in press). A whale of an opportunity: Examining the vertical structure of high Arctic waters using space-based ocean observations and instrumented marine predators. Marine Biology Research, in press.
- Laidre, KL, PJ Heagerty, M-P Heide-Jørgensen, L Witting, MJ Simon 2009. Sexual segregation of common minke whales (Balaenoptera acutorostrata) in Greenland, and the influence of sea temperature on the sex ratio of catches. ICES Journal of Marine Sciences 66: 2253-2266.
- Lucke, K, U Siebert, PA Lepper, M-A Blanchet (2009). *Temporary shift in masked hearing thresholds in a harbour porpoise (Phocoena phocoena) after exposure to seismic airgun stimuli.* Journal of the Acoustical Society of America 125(6): 4060-4070.
- Mooney, TA, PE Nachtigall, KA Taylor, MH Rasmussen, LA Miller 2009. Auditory temporal resolution of a wild white-beaked dolphin (Lagenorhynchus albirostris). Journal of Comparative Physiololgy A 195:375-384.
- Shapiro, AD, J Tougaard, PB Jørgensen, LA Kyhn, J Balle, C Bernardez, A Fjälling, JD Karlsen, M Wahlberg 2009. *Transmission loss patterns from acoustic harassment and deterrent devices do not always follow geometrical spreading predictions*. Marine Mammal Science 25(1): 53-67.
- Simon, M., M Johnson, P Tyack, PT Madsen 2009, Behaviour and kinematics of continuous ram filtration in bowhead whales (Balaena mysticetus), Proceedings of the Royal Society of London, Biological Sciences, 276 (1674): 3819-3828.
- Simon, MJ, M Hanson Brad, LMurrey, J Tougaard, F Ugarte 2009. From captivity to the wild and back: An attempt to release Keiko the killer whale. Marine Mammal Science. 3: 693-705.

- Tervo, O, S Parks, LA Miller 2009. Seasonal changes in the vocal behavior of bowhead whales (Balaena mysticetus) in Disko Bay, Western Greenland. Journal of the Acoustical Society of America 126(3):1570-1580.
- Tougaard, J, OD Henriksen, LA Miller 2009. Underwater noise from three types of offshore wind turbines: Estimation of impact zones for porpoises and seals Journal of the Acoustical Society of America 125(6):3766-3773.
- Tougaard, J, J Carstensen, J Teilmann, H Skov, P Rasmussen 2009. Pile driving zone of responsiveness extends beyond 20 km for harbor porpoises (Phocoena phocoena (L.). Journal of the Acoustical Society of America 126(1): 11-14.
- Tougaard, J, OD Henriksen, LA Miller 2009.Underwater noise from three types of offshore wind turbines: estimation of impact zones for harbor porpoises and harbor seal. Journal of the Acoustical Society of America 125(6): 3766-3773.
- Verfuss, UK, LA. Miller, PKD Pilz, H-U Schnitzler 2009. *Echolocation by two foraging harbour porpoises* (*Phocoena phocoena*). Journal of Experimental Biology 12:823-834.
- Wiemann, A, LW Andersen, P Berggren, U Siebert, H Benke, J Teilmann, C Lockyer, I Pawliczka, K Skora, A Roos, T Lyrholm, KB Paulus, V Ketmaier, R Tiedemann, 2010. *Mitochondrial Control Region and microsatellite analyses on harbour porpoise (Phocoena phocoena) unravel population differentiation in the Baltic Sea and adjacent waters.* Conservation Genetics 11:195–211.
- Witting, L, D Pike 2009. *Distance estimation experiment for aerial minke whale surveys*. NAMMCO Scientific Publications, 7:111-116
- Witting, L 2009. On likelihood optimisation and deviance in West Greenland minke whale assessment. Appendix 3, Annex E. Report of the Standing Working Group on the Aboriginal Whaling Management procedures. The Journal of Cetacean Research and Management, 11 (Suppl.).

11.2 Unpublished literature

- Boertmann, D, K Johansen, LM Rasmussen, D Schiedek, F Ugarte, A Mosbech, M Frederiksen, M Bjerrum 2009. The eastern Baffin Bay. A preliminary strategic environmental impact assessment of hydrocarbon activities in the KANUMAS West area. National Environmental Research Institute, Aarhus University, Denmark. 238 pp. – NERI Technical report no. 720. http://www.dmu.dk/Pub/FR720.pdf
- Boertmann, D, K Johansen, LM Rasmussen, D Schiedek, F Ugarte, A Mosbech, M Frederiksen, M Bjerrum, M. 2009. The western Greenland Sea. A preliminary strategic environmental impact assessment of hydrocarbon activities in the KANUMAS East area. National Environmental Research Institute, Aarhus University, Denmark. 246 pp. – NERI Technical report no. 719. http://www.dmu.dk/Pub/FR719.pdf
- Boye T 2009. Home, sweet home? *Habitat use of humpback whales (Megaptera novaeangliae) in Nuuk fjord,* Greenland, *with implications for commercial exploitation.* MSc thesis, University of Århus. 62 pp.
- Dietz, R, N Basu, B Braune, T O'Hara, T Scheuhammer, C Sonne 2010. *What are the toxicological effects of Mercury in Arctic biota?* Chapter 6 of the AMAP Hg Assessment.
- Donovan, G, D Palka, G Craig, N Levermann, P Hammond, L witting 2010. *Report of the small working group* on conversion factors (from whales to edible products) for the Greenlandic large whale hunt, 2010. IWC/M10/2.
- Evans, PGH, J Teilmann (eds.) 2009. ASCOBANS/HELCOM Small Cetacean Population Structure Workshop. Held on 8-10 October 2007 At UN Campus, Hermann-Ehlers-Str. 10, 53113 Bonn, Germany. ASCOBANS, 2009. 141 s.
- Reijnders, PJH, SMJM Brasseur, T Borchardt, K Camphuysen, R Czeck, A Gilles, LF Jensen, M Leopold, K Lucke, S Ramdohr, M Scheidat, U Siebert, J Teilmann 2009. *Marine Mammals. Thematic Report No. 20*. In: H Marencic & J de Vlas (Eds.): Quality Status Report 2009. Wadden Sea Ecosystem No. 25. Common Wadden Sea Secretariat, Wilhelmshaven, Germany. <u>http://www.waddensea-secretariat.org/QSR-2009/index.htm</u>

Appendix 1. FOA fishin	g descriptions and codes
------------------------	--------------------------

Appendix 1. FOA fishing descriptions and codes						
FAO FISHING GEAR CATEGORI	ES:	FALLING GEAR				
SURROUNDING NETS		Cast nets	FCN			
With purse lines	PS	Falling gear (not specified)	FG			
One-boat operated purse seines	PS1	GILLNETS AND ENTANGLING GEAR				
Two-boat operated purse seines	PS2	Set gillnets (anchored)	GNS			
Without purse lines (lampara)	LA	Driftnets	GND			
SEINE NETS		Encircling gillnets	GNC			
Beach seines	SB	Fixed gillnets (on stakes)	GNF			
Boat seines	SV	Trammel nets	GTR			
Danish seines	SDN	Combined gillnet-trammel nets	GTN			
Scottish seines	SSC	Gillnets and entangling gillnets (not specified)	GEN			
Pair seines	SPR	Gillnets (not specified)	GN			
Seine nets (not specified)	SX	TRAPS				
TRAWLS		Stationary uncovered pounds nets	FPN			
Bottom trawls	TBB	Pots	FPO			
Beam trawl	OTB	Fyke nets	FYK			
Otter trawls (side or stern)	PTB	Stow nets	FSN			
Pair trawls	TBN	Barriers, fences, weirs, etc	FWR			
Nephrops trawls	TBS	Aerial traps	FAR			
Shrimp trawls (not specified)	ТМ	Traps (not specified)	FIX			
Midwater trawls						
Otter trawls (side or stern)	OTM	HOOKS AND LINES				
Pair trawls	PTM	Handlines and pole-lines (hand operated)	LHP			
Shrimp trawls	TMS	Handlines and pole-lines (mechanised)	LHM			
Midwater trawls (not specified)	TM	Set longlines	LLS			
Otter twin trawls	OTT	Drifting longlines	LLD			
Otter trawls (not specified)	OT	Longlines (not specified)	LL			
Pair trawls (not specified)	PT	Trolling lines	LTL			
Other trawls (not specified)	TX	Hooks and lines (not specified)	LX			
DREDGES		GRAPPLING AND WOUNDING				
Boat dredges	DRB	Harpoons	HAR			
Hand dredges	DRH	HARVESTING MACHINES				
LIFT NETS		Pumps	HMP			
Portable lift nets	LPN	Mechanised dredges	HMD			
Boat-operated lift nets	LNB	Harvesting machines (not specified)	HMX			
Shore operated stationary lift nets	LNS	MISCELLANEOUS GEAR	MIS			
Lift nets (not specified)	LN	RECREATIONAL FISHING GEAR	RG			
-		GEAR NOT KNOWN OR NOT SPECIFIED	NK			
		SHARK CONTROL NETS	NSC			
		DERELICT FISHING GEAR				